

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** 761401-761416 Ceramill Liquid FX A1 - D4

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

**Application of the substance / the preparation:** Auxiliary for dental technology

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

Firmenbezeichnung  
Amann Girrbach AG  
Herrschaftswiesen 1  
A-6842 Koblach  
Telefon: 0043 5523 623330  
Fax: 0043 5523 55990  
Email: austria@amanngirrbach.com  
Internet: www.amanngirrbach.com

Inverkehrbringer  
Amann Girrbach GmbH  
Duerrenweg 40  
D-75177 Pforzheim  
Telefon: 0049 7231 957100  
Fax: 0049 7231 957129  
Email: germany@amanngirrbach.com  
Internet: www.amanngirrbach.com

**Further information obtainable from:** Amann Girrbach GmbH

#### 1.4 Emergency telephone number:

Giftinformationszentrum-Nord / GIZ-Nord Poisons Centre  
Telefon / Phone +49 (0) 551/19240  
24h / 7d

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

**Classification according to Regulation (EC) No 1272/2008:**



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements:

**Labelling according to Regulation (EC) No 1272/2008:**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

Trade name: 761401-761416 Ceramill Liquid FX A1 - D4

(Contd. of page 1)

**Hazard pictograms:**

GHS05 GHS07

**Signal word:** Danger**Hazard-determining components of labelling:**ferric chloride hexahydrate  
acetic acid, chromium salt, basic**Hazard statements:**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

**Precautionary statements:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards:****Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 25322-68-3 polyethylene glycol	≤10%
NLP: 500-038-2  STOT SE 3, H335	
CAS: 10025-75-9 erbium(III) chloride hexahydrate	2.5-<10%
Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 10025-77-1 ferric chloride hexahydrate	2.5-<10%
Skin Corr. 1B, H314;  Acute Tox. 4, H302; Aquatic Chronic 3, H412	
CAS: 39430-51-8 acetic acid, chromium salt, basic	1-≤2.5%
Skin Sens. 1B, H317	

**Additional information:** For the wording of the listed risk phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures:****General information:**

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

---

**Trade name: 761401-761416 Ceramill Liquid FX A1 - D4**

---

(Contd. of page 2)

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:**

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

**After swallowing:** Call a doctor immediately.**4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:**No further relevant information available.

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media:****Suitable extinguishing agents:**CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**For safety reasons unsuitable extinguishing agents:** Water with full jet**5.2 Special hazards arising from the substance or mixture:**

Formation of toxic gases is possible during heating or in case of fire.

**5.3 Advice for firefighters:****Protective equipment:** Do not inhale explosion gases or combustion gases.**Additional information:**Collect contaminated fire fighting water separately. It must not enter the sewage system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling:**

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.**7.2 Conditions for safe storage, including any incompatibilities:****Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:** Store away from foodstuffs.**Further information about storage conditions:** Keep container tightly sealed.**7.3 Specific end use(s):** No further relevant information available.(Contd. on page 4)

---



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

---

**Trade name: 761401-761416 Ceramill Liquid FX A1 - D4**

---

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

#### 8.1 Control parameters:

##### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### 8.2 Exposure controls:

##### Personal protective equipment:

##### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

##### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter P2

Filter P3

**Protection of hands:** Protective gloves

##### Material of gloves:

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Tightly sealed goggles

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties:

##### General Information:

##### Appearance:

<b>Form:</b>	Liquid
<b>Colour:</b>	According to product specification
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

**pH-value:** <2

##### Change in condition:

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.

**Flash point:** Not applicable.

**Flammability (solid, gaseous):** Not applicable.

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

---

**Trade name: 761401-761416 Ceramill Liquid FX A1 - D4**

---

(Contd. of page 4)

**Ignition temperature:****Decomposition temperature:** Not determined.**Self-igniting:** Product is not selfigniting.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**Vapour pressure:** Not determined.**Density:** Not determined.**Relative density:** Not determined.**Vapour density:** Not determined.**Evaporation rate:** Not applicable.**Solubility in / Miscibility with****water:** Fully miscible.**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****Dynamic:** Not applicable.**Kinematic:** Not applicable.**9.2 Other information:** No further relevant information available.

---

**SECTION 10: Stability and reactivity**

---

**10.1 Reactivity:** No further relevant information available.**10.2 Chemical stability:****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** Develops corrosive gases/fumes.**10.4 Conditions to avoid:** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** Hydrogen chloride (HCl)

---

**SECTION 11: Toxicological information**

---

**11.1 Information on toxicological effects:****Acute toxicity****Primary irritant effect:****Skin corrosion/irritation**

Causes severe skin burns and eye damage.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

Trade name: 761401-761416 Ceramill Liquid FX A1 - D4

(Contd. of page 5)

**Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

**12.1 Toxicity:**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

**Additional ecological information:****General notes:**

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

**12.5 Results of PBT and vPvB assessment:**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Other adverse effects:** No further relevant information available.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods:****Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

**14.1 UN-Number:**

ADR, IMDG, IATA

UN2582

**14.2 UN proper shipping name:**

ADR

2582 FERRIC CHLORIDE SOLUTION

IMDG, IATA

FERRIC CHLORIDE SOLUTION

**14.3 Transport hazard class(es):**

ADR, IMDG, IATA



**Class:**

8 Corrosive substances.

**Label:**

8

**14.4 Packing group:**

ADR, IMDG, IATA

III

**14.5 Environmental hazards:**

**Marine pollutant:**

No

**14.6 Special precautions for user:**

Warning: Corrosive substances.

**Danger code (Kemler):**

80

**EMS Number:**

F-A,S-B

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

**Trade name: 761401-761416 Ceramill Liquid FX A1 - D4**

(Contd. of page 6)

**Segregation groups:** Acids  
**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

**Transport/Additional information:****ADR**

**Limited quantities (LQ):** 5L  
**Transport category:** 3  
**Tunnel restriction code:** E  
**UN "Model Regulation":** UN 2582 FERRIC CHLORIDE SOLUTION, 8, III

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases:**

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Department issuing MSDS:**

ADEEGO GmbH  
Wildsteig 4A  
D-42113 Wuppertal  
Tel. +49 (0) 202 2575700  
Fax. +49 (0) 202 2575701  
Email: mail@adeego.de  
www.adeego.de

**Contact:** Dr. Axel Deeg**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A  
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.09.2015

Revision: 29.09.2015

---

**Trade name: 761401-761416 Ceramill Liquid FX A1 - D4**

---

(Contd. of page 7)

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

---