

Page 1 of 5

Section 1 – Identification

Product Name: Seity Etchant Gels 37% Phosphoric

Acid (Blue or Green)

480 S Democrat Rd, Gibbstown, NJ 08027

Keystone Industries

Active Ingredient: Phosphoric Acid

Information Contacts: (856) 663-4700 **Toll Free:** (800) 333-3131

Manufacturer:

Emergency Phone Numbers: (800) 535-5053

Family: Etching Gels

Product Use: Professional Dental Etching Gel

Product #: Various

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Corrosive! H314
- Causes tissue destruction, permanent damage to the cornea, blindness.
- Mists may cause lung irritation, shortness of breath.
- Ingestion may cause nausea, vomiting, diarrhea, burns to the mouth, chest pain Seizures, shortness of breath, even death.
- Please read entire MSDS for additional information.





Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye Corrosive. May cause redness, pain, blurred vision, eye burns, and permanent eye damage.

Skin Corrosive. May cause redness, pain, and severe skin burns.

Ingestion Corrosive. May cause sore throat, abdominal pain, nausea, and severe burns of the mouth, throat, and

stomach.

Inhalation Inhalation is not an expected hazard unless mist is heated to high temperatures. Mist or vapor

inhalation can cause irritation to the nose, throat, and upper respiratory tract. Severe exposures can

lead to a chemical pneumonitis.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

		<u> </u>				
CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
			TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
7664-38-2	231-633-2	Phosphoric Acid	$TWA = 1 mg/$ m^3	$TWA = 1 mg/ m^3$ $STEL = 3 mg/ m^3$	Not listed	32-44
FD&C Blue, D&	C Violet #2,					
	Numbers 7664-38-2 N/DA – No Data A N/A – Not Applica	Numbers	Numbers 7664-38-2 231-633-2 Phosphoric Acid N/DA – No Data Available N/A – Not Applicable	Numbers OSHA TWA/STEL 7664-38-2 231-633-2 Phosphoric Acid TWA = 1 mg/ m^3 N/DA - No Data Available N/A - Not Applicable MODA - No Data Available N/A - Not Applicable NODA - No Data Available N/A - Not Applicable	Numbers OSHA TWA/STEL Limits ACGIH TWA/STEL 7664-38-2 231-633-2 Phosphoric Acid TWA = 1 mg/ m^3 TWA = 1 mg/ STEL = 3 mg/ m^3 N/DA - No Data Available N/A - Not Applicable N/DA - No Data Available N/A - Not Applicable N/DA - No Data Available N/A - Not Applicable	Numbers OSHA TWA/STEL TWA/STEL TWA/STEL TWA = 1 mg/ M^3 Not listed N/DA - No Data Available N/A - Not Applicable NUMBERS NOSHA TWA/STEL TWA/STEL TWA = 1 mg/ M^3 STEL = 3 mg/ m^3 Not listed

(items in parenthesis relate to 1999/45/EC)

Phosphoric Acid: Danger Symbol – GHS05 (C) Hazard Statement – H314 (R34) Precautionary Statement – P102 (S1/2), P305+334 (S26), P309+314 (S45)

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

First Aid for Eye	Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek
	immediate medical attention. If it is necessary to transport the patient to a physician and the eye needs
	to be a bandaged, use a dry sterile cloth pad and cover both eyes.
First Aid for Skin	Immediately wipe excess material from skin with a dry cloth; then wash skin with plenty of soap and
	water for at least 15 minutes. Seek medical attention. Remove contaminated clothing and shoes while
	washing.
First Aid for Ingestion	If victim is conscious and alert, give 2-3 glasses of water to drink and do not induce vomiting. Seek
	immediate medical attention. To prevent aspiration of swallowed product, lay victim on side with



Page 2 of 5

head lower than waist. Vomiting may occur spontaneously.

First Aid for Inhalation Remove victim from immediate source of exposure and assure that the victim is still breathing. If

breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. Seek

medical help.

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Extinguishing Media: Not combustible. Use extinguishing method suitable for surrounding fire.

Fire Fighting Firefighters should wear NIOSH/MSHA approved self contained breathing apparatus and full Instructions: Free Fighting Firefighters should wear NIOSH/MSHA approved self contained breathing apparatus and full protective clothing. Keep unnecessary people away, isolate hazard area and deny entry. Evacuate

residents who are downwind of fire. Dike area to prevent runoff and contamination of water sources.

Unusual Hazards: Evacuate all personnel.

Section 6 – Accidental Release Measures

Spill or Release Procedures Minor spills – Clean up immediately, avoid contact with skin and eyes. Mop / wipe area and clean with soapy water Dike or retain dilution water for disposal.

Major spills – Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, and dilute area with soapy water. Collect contaminated water and dispose of properly. Dike or retain dilution water for disposal. Large spills should

be handled according to a predetermined plan.

See section 8 & section 12.

Section 7 – Handling and Storage

Handling Limit all unnecessary personal contact. Avoid breathing vapors. Wear appropriate PPE. Do not get into eyes or

on skin. Avoid breathing vapors and mists. This product reacts with bases liberating heat and causing

spattering.

Storage Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when

not in use. Keep in original container provided by manufacturer.

Explosion Hazard None.

Section 8 – Exposure Controls / Personal Protection

Engineering General exhaust is adequate under normal operating conditions; however local exhaust ventilation at the point

Controls of generation is preferred. Personal hygiene is an important work exposure control measure.

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Safety glasses / goggles or splash shields are required when handling. Ensure eye bath is on hand.

Protection

Skin Protection Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole

body suit.

Respiratory In case of insufficient ventilation, wear suitable respiratory equipment.

N/DA

Protection

N/A

Section 9 – Physical and Chemical Properties

N/DA

Appeara	ppearance Odor & Odor Threshold		$_{ m P}{ m H}$	Specific Gravity	Viscosity	% V	olatile
Gel		Odor of Stated Flavor	N/A	(H2O = 1): N/A	N/A	N	I/A
							1
Boiling Point/	Decompositio	n Octanol/Water	Var	oor Vapor	Evaporation	Ignition	Solubility
Freezing Point	Temperature	Partitioning Coeffici	ient Press	ure: Density	Rate		In Water

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

N/A

N/A

Date of Issue: 05/01/03

N/A

N/A

N/A



Page 3 of 5

Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable under normal conditions Bases, metals, strong oxidizing or reducing agents

Hazardous Decomposition Products: Hazardous Polymerization:

Oxides of Phsophorus Will not occur

Conditions to Avoid: Heat and incompatible materials

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/ DA	N/DA	N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/DA. This material is not expected to significantly bio-accumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

DOT (49 CFR 172)			
Proper Shipping Name:	UN1805, Phosphoric Acid Solution, 8, III		
Identification Number:	UN1805		
Marine Pollutant:	No		
Special Provisions:	A7, IB3, N34, T4, TP1		
Emergency Response Guidebook (ERG) #:	154		
IATA (DGR):			
Proper Shipping Name:	UN1805, Phosphoric Acid Solution, 8, III		
Class or Division:	8		
UN or ID Number:	UN1805		
Packaging Instructions:			
Emergency Response Guidance (ICAO)#:			
IMO (IMDG):			
Proper Shipping Name:	UN1805, Phosphoric Acid Solution, 8, III		
Class or Division:	8		
UN or ID Number:	UN1805		
Special Provisions & Stowage/Segregation:	N/A		
Emergency Schedule (EmS)#:	N/A		
Other Information:	This product can qualify as a consumer commodity (limited quantity exception)		



Page 4 of 5

Section 1	15 – R	Regulat	tory I	nforma	tion

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. It's hazards are:
	Phosphoric Acid CAS # 7664-38-2 (Corrosive)
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302	This product contains chemicals regulated under Section 304 as extremely hazardous
(TPQ)	chemicals for emergency release notification ("CERCLA" List):
	 Phosphoric Acid CAS #7664-38-2 (Corrosive) – RQ 5000#
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:
	Phosphoric Acid CAS #7664-38-2 (Corrosive)
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372:
	• None
ΓSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies
	with TSCA pre-manufacture notification requirements.
ΓSCA Significant New Use Rule:	Phosphoric Acid CAS #7664-38-2
2	None of the chemicals in this material have a SNUR under TSCA.

State Regulations		
None		
None		
Phosphoric Acid CAS # 7664-38-2		
Phosphoric Acid CAS # 7664-38-2		
Phosphoric Acid CAS # 7664-38-2		
None		
Phosphoric Acid CAS # 7664-38-2		

International Regulations

European Community:

international Regulations		
CDSL: Canadian Inventory	Phosphoric Acid CAS # 7664-38-2	
(on Canadian Transitional List)		

Labeling according to EC directives – 1272/2008 (CLP) AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)





For Seity Etchant Gel (finished product):

- DANGER SYMBOLS: **GHS05** (C) **Corrosive**
- HAZARD STATEMENT: **H314** (**R34**), Causes severe skin burns and eye damage.
 - PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P210 (S15), Keep away from heat/sparks/open flames/hot surfaces. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P405 (S1), Store locked up. P501 (S56), Dispose of contents/ container in appropriate way.



Page 5 of 5

Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

(items in parenthesis relate to 1999/45/EC)


Danger Symbols:

GHS05 (C) - Corrosive

Hazard Statement: H314 (R34), Causes severe skin burns and eye damage.

Precautionary Statement: P102 (S1 or S2), Keep out of reach of children. P210 (S15), Keep away from heat/sparks/open flames/hot surfaces. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P305+334 (S26), In case of contact with eyes, rinse immediately with water. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P404 (S7), Store in a closed container. P403+235 (S3/9), Store in a well ventilated place. Keep cool. P405 (S1), Store locked up. P501 (S56), Dispose of contents/ container in appropriate way.

Hazard Rating System (Pictograms)



MSDS Prepared by:	WME
Revision History:	03/29/11 Initial
	05/01/13 Changed manufacturer from Deepak to Keystone, changed address and telephone
	number SWR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone components.