

## Material Safety Data Sheet

## **NEUTRAL FLUORIDE RINSE**

### Section 1 – Identification

Product Name:	Gelato Neutral Fluoride Rinse	Manufacturer:	Keystone Industries 480 S Democrat Rd, Gibbstown, NJ 08027
Active Ingredient:	Sodium Fluoride	Toll Free:	acts: (856) 663-4700 (800) 333-3131 Numbers: (800) 535-5053

Family: Mouth Wash Product Use: Professional Dental Mouth Rinse Product #: Various

#### Section 2 – Hazards Identification

#### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- Will cause eye irritation.
- Prolong exposure may cause respiratory system and skin irritation.
- Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.
- Please read entire MSDS for additional information.



### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin, and ingestion.
Eye	Vapors and direct contact are irritating to the eyes. Splashes may cause redness of the eye.
Skin	Repeat/prolong contact may cause mild irritation of the skin. Symptoms include redness, burning, or itching.
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset stomach.
Inhalation	If fine mist is inhaled, irritation of the throat with a feeling of tightness in the chest may occur.

# NOTE: Refer to Section 11, Toxicological Information for Details Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Sodium Fluoride	7681-49-4	231-667-8	Sodium Fluoride	3ррт / бррт	2.5 mg / m^3	Not Listed	2-3
N/E – None Established N/R – Not Reviewed	N/DA – No Data Available N/A – Not Applicable						

#### (items in parenthesis relate to 1999/45/EC)

 Sodium Fluoride:
 Danger Symbol – GHS06 (T), GHS07 (Xi)
 Hazard Statement – H301 (R25), EUH032 (R32), H315 (R38), H319 (R36)

 Precautionary Statement – P102 (S2), P260 (S23), P280 (S36/37/39), P309+314 (S45)
 Hazard Statement – H301 (R25), EUH032 (R32), H315 (R38), H319 (R36)

See Section 16 for Hazard and Precautionary Statement Key.

### Section 4 – First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash thoroughly with soap and water. Remove contaminated clothing. Prolong contact will cause irritation. Get medical help if discomfort persists.
First Aid for Ingestion	If greater than normal dose is swallowed, do not induce vomiting. Drink large quantity of water or milk. Seek medical attention.
First Aid for Inhalation	Move to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort persists.



## Material Safety Data Sheet

## **NEUTRAL FLUORIDE RINSE**

## Section 5 – Fire Fighting Measures

Flash P	Point (°F/°C) Flammable Limit (vol%) Auto-ignition Temperature (vol%)					(vol%)		
	N/A		Ν	[/A		N	I/Ā	
Method: Extinguishing M Fire Fighting Instructions: Unusual Hazards	During for exp apparate location	osure, wear con us, with full fa	or highly to nplete per	oxic gases ma sonal protecti	y be generate ve equipme	be used. ed by thermal decor- nt including self ight fire from a safe	contained b	reathing
Section 6 – Ac	cidental Relea	*						
Spill or Release Procedures	Minor spills – C Major spills – C	lean up immediat lear area of perso r. Collect contan	ely, avoid c nnel. Restri	ict access to area	a. Avoid cont	op area and clean wit act with skin and eye		
Section 7 – Ha	ndling and St	orage						
Handling	Limit all unnec	essary personal	contact. A	Avoid breathin	g vapors. W	ear appropriate PP	РЕ.	
Storage		ol, well ventila eep in original c		•	· 1	and flame. Keep c	containers clo	osed when
Explosion Hazard	None.							
Section 8 – Ex	posure Contro	ols / Personal	Protect	ion				
Engineering Controls	General exhau	st is adequate u	nder norma	al operating co	nditions.			
General Eye/ Face Protection Skin Protection	hazard assess EN166 be con Safety glasses	nent in accorda nducted before / goggles or spla	ance with using this ash shields	the OSHA P product. are equired w	PE Standard	uirements, it is re l (29CFR1910.132 g. Ensure eye bath such as gloves, app	), or Europe is on hand.	an Standard
Respiratory	suit. In case of insu	fficient ventilati	on, wear si	uitable respirat	tory equipme	ent.		
Protection Section 9 – Ph	ysical and Che	mical Prope	rties					
Appeara	nce Ode	or & Odor Three	shold		cific Gravity	Viscosity	% V	olatile
Clear liqu	uid C	dor of Stated Fla	vor	6-8 (H	I2O = 1): 1	N/A	Ν	J/A
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/ Partitioning Log Po	Coefficient	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA	N/DA		N/A	N/A	N/A	N/A	N/A
Flash 1	Point (°F/°C)	I		e Limit (vol%	)	Auto-ignition T	emperature	e (vol%)
Santian_10Q	N/A tability and <b>D</b>	ootivity	]	N/A			N/A	
Stability: Stable	tability and Re omposition Produ F)	Inc Structs: Ha	ong Acids	ity (Materials olymerizatior r				
Conditions to A	void: Heat and ind	compatible mate	erials					

### KEYSTONE KINDUSTRIES

## Material Safety Data Sheet

## **NEUTRAL FLUORIDE RINSE**

### Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA
Sensitization		Mutagenicity	Sub-ch	ronic Toxicity
N/ DA		N/DA		N/ DA

### Section 12 – Ecological Information

#### **Ecotoxicological Information**

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

#### **Chemical Fate Information**

Biodegradability	Biodegradable. This material is not expected to bioaccumulate.
Chemical Oxygen Demand	N/ DA

### Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

#### Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-regulated material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	Non-regulated material
Proper Shipping Name:	N/A
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	N/A

### Section 15 – Regulatory Information

#### **US Federal Regulations**

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U.S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.



## Material Safety Data Sheet NEUTRAL FLUORIDE RINSE

Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261). • None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302	This product contains chemicals regulated under Section 304 as extremely hazardous
(TPQ)	chemicals for emergency release notification ("CERCLA" List):
	• Sodium Fluoride – CAS# 7681-49-4 RQ 1,000 lbs.
SARA Title III: Section 311-312:	<ul> <li>This product is considered to be hazardous under the OSHA Hazard Communication</li> <li>Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:</li> <li>Sodium Fluoride – CAS # 7681-49-4 RQ 1000 lbs. (corrosive)</li> </ul>
SARA Title III: Section 313:	<ul> <li>This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:</li> <li>None</li> </ul>
TSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements.
TSCA Significant New Use Rule:	• Sodium Fluoride – CAS# 7681-49-4
	None of the chemicals in this material have a SNUR under TSCA.

#### **State Regulations**

State Regulations	
CA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
California No Significant Risk	None
Rule:	
MA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
NJ Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
PA Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
FL Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4
MN Right-to-Know Law:	Sodium Fluoride – CAS# 7681-49-4

#### **International Regulations**

CDSL: Canadian Inventory	Sodium Fluoride – CAS# 7681-49-4
(on Canadian Transitional List)	

#### Labeling according to EC directives - 1272/2008 {CLP} and 1999/45/EC (items in parenthesis relate to 1999/45/EC)

F	European Community:	For Gelato Neutral Fluoride Rinse (finished product):
	European Community:	<ul> <li>For Gelato Neutral Fluoride Kinse (Innshed product):</li> <li>DANGER SYMBOLS: GHS07 (Xi) – Warning / Irritant</li> <li>HAZARD STATEMENT: H316 (N/A), Causes mild skin irritation. H319 (R36), Causes serious eye irritation H335 (R37), May cause respiratory irritation. H303 (N/A), May be harmful if swallowed</li> <li>PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If</li> </ul>
		exposed or you feel unwell, get medical advice/attention.



### Material Safety Data Sheet

## **NEUTRAL FLUORIDE RINSE**

#### Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

#### (items in parenthesis relate to 1999/45/EC)

**Danger Symbols:** GHS06 (T) – Toxic

GHS07 (Xi) - Warning (Irritants)


#### **Hazard Statement:**

H301 (R25), Toxic if swallowed. H315 (R38), Causes skin irritation. H316 (N/A) Causes mild skin irritation. H319 (R36), Causes serious eye irritation. H335 (R37), May cause respiratory irritation. H336 (R67), May cause drowsiness or dizziness. EUH032 (R32), Contact with acid liberates very toxic gas. H303 (N/A), May be harmful if swallowed

#### **Precautionary Statement:**

P102 (S2), Keep out of reach of children. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention.

#### Hazard Rating System (Pictograms)



MSDS Prepared by:	WME
Revision History:	01/14/11 Initial
	05/01/13 Changed manufacturer from Deepak to Keystone, changed address and telephone number SWR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone components.