Revised: 1st April, 2012

1.IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name/designation Noritake Super Porcelain EX-3 / Paste Opaque, Paste Opaque Modifier

1.2 Relevant identified uses of the substance or mixture and uses advised

Relevant identified uses **Dental Material** Uses advised against No information 1.3 Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc.

300 Higashiyama, Miyoshi-cho, Miyoshi, Aichi 470-0293, Japan

Supplier:

For US

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.

Phone: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

For Europe

Kuraray Europe GmbH

Philipp-Reis-Str. 4, 65795 Hattersheim am Main, Germany Phone: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640

E-mail: dental@kurarav.de

For Other countries

Kuraray Noritake Dental Inc.

2.HAZARDS IDENTIFICATION

2.1 Classification of the mixture

GHS classification

Acute Tox. 4 Oral	H302
Res. Sens. 1	H334
Skin Sens. 1	H317
Carc. 1A	H350
STOT SE 2	H371
STOT RE 2	H373

2.2 Label elements

Hazard pictograms



Signal word:

Danger

Hazard statements:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Information department: Supplier

MATERIAL SAFETY DATA SHEET MSDS No EX-3 Paste Opaque (J2005-G2)E ,Ver1.2

Revised: 1st April, 2012

H350 May cause cancer.

H371 May cause damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until at safty precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash throughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective glove/protective clothing/eye protection/face protection.

P281 Use Personal protective equipment as required.

P285 In case of inadequate ventilation wear respiratory protection.

P301+P312 If Swallowed: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352 If on skin: Wash with plenty soap and water.

P304+P341 If inhaled :If breathing is difficult, remove victim to fresh air and keep at rest in a posision comfortable for breathing.

P308+P313 I exposed or concerned: Get medical advice/attention.

P309+P311 If exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment(see first aid statements on this label).

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/innternational regulation.

3.COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Description of the mixture:

3.2 Hazardous ingredients:

CAS No.	EC-No.	MITI-No.	% (w/w)	Name	Remark
18186-89-0*		1-267 1-517 1-550	⟨3	COBALT NICKEL GRAY PERICLASE(CPMA)	*

^{*}substance classified the manufacturer.

4.FIRST AID MEASURES

4.1 Description of first aid measure

If on skin Wash with plenty soap and water.

If inhaled If breathing is difficult, remove victim to fresh air and keep at rest in a posision

comfortable for breathing.

If swallowed Call a POISON CENTER or doctor/physician if you feel unwell

If in eyes Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

4.2 Most important symtoms and effects, both acute and delayed.

No information

MATERIAL SAFETY DATA SHEET MSDS No EX-3 Paste Opaque (J2005-G2)E ,Ver1.2

Revised: 1st April, 2012

4.3 Indication of immediate medical attention and special treatment needed.

No infomation

5.FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Sutable extinguishing media

Water-spray, CO₂, powder, sand or foam, etc.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unusable extinguishing media

No information available.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products There is a possibility that the gas with stimulation or toxicity is produced depending on the kind of a fire.

5.3 Advice for fire-fighters

If it is not very dangerous, move containers from a fire in the surrounding area.

During extinction, wear a suitable heat-resistant protective suits against chemicals and self contained breathing apparatus.

Extinguish fire by pouring or spreading extinguishing media on the origin of a fire.

Extinguish fire from windward side as much as possible.

Extinguish fire by the method of covering tightly or suffocation is preferable.

Even after extinction, cool down containers by using plenty of water.

6.ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

Protective equipment Operators wear suitable protective equipment refer to section8 and avoid inhalation

and contact with eyes and skin.

Removal of ignition sources, provision of sufficient ventilation, control of dust

Ventilate for exhaust to keep concentration in air below a limit of exposure.

Emergency procedures Isolate this product immediately and keep proper distance to every direction as

released area.

Indicate that only authorized people can enter.

Do not touch released product and walk on it.

For emergency responders

No infomation

6.2 Environmental Precautions

Take notice not to discharge this product to rivers etc. and not to affect environment.

6.3 Methods and material for containment and cleaning up

For containment No infomation.

paper and collect it into an tightly covered container made of metal.

Other information No information

6.4 Reference to other sections See section 8 and 13.

6.5 Additional information No information.

MATERIAL SAFETY DATA SHEET MSDS No EX-3 Paste Opaque (J2005-G2)E, Ver1.2

Revised: 1st April, 2012

7.HANDLING AND STORAGE

7.1 Precautions for safe handling

Information on safe handing

Take measure against equipments written in section8 and wear protective equipment.

Exhaust locally and ventilate totally as written in section8.

To Prevent handling of incompatible substances or mixtures

Avoid contact with imcompatible materials. Please refer to section 10.

To minimize the release to the environment

Take notice not to discharge this product to rivers etc. and not to affect environment.

Advice on general occupational hygiene

Obtain Instructions before using this product.

Do not handle products until you have read and understood every instruction for safety.

To prevent exposure, wear protective during operation.

Watch out for fire.

Prohibit using heated substances, sparks and fire on the periphery of this product.

Ventilate for exhaust to keep concentration in air below a limit of exposure.

Avoid inhaling dust and fume.

Do not touch, inhale or swallow this product.

Do not take polluted work clothes out of workshops.

Do not drink, eat or smoke during using this product.

Use this product only outside or well ventilated area.

Wash hands well after handling this product.

Avoid emitting this product to environment.

7.2 Conditions for safe strage, including any incompatibilities

Technical measures and storage conditions

Store in dried and properly ventilated place.

Install equipments for lighting and ventilation which are necessary for handling and storing dangerous goods in a storage place.

Packaging materials

If containers are stipulated in transportation regulations of containers United Nations.

Requirements for storage rooms and vessels

Store apart from dangerous substance to mix and touch.

Seal a container and store it in a well ventilated and cool place.

It is preferable to store a container in a locked place.

Further Information on storage conditions

No information

7.3 Specific end use(s)

Recommendations

No information

Industrial sector specific solutions

No information

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

Chemical Name	Class	Exposure Limits	BASIS
COBALT NICKEL GRAY	Nickel compounds	As Ni 0.1mg/m3Tot	Ministry of Labor(Japan)
PERICLASE(CPMA)	Cobalt and compounds	As Co 0.05mg/m3	Japan Society for Occupational Health (2009)

MATERIAL SAFETY DATA SHEET MSDS No EX-3 Paste Opaque (J2005-G2)E ,Ver1.2

Product Name: EX-3 Paste Opaque

MSDS No EX-3 Paste Opaque (J2005-G2)E ,Ver1.2 Revised: 1st April, 2012

Cobalt,Elemental and inorganic compounds	As Co 0.02mg/m3	
Nickel,Insoluble compounds	As Ni 0.2mg/m3	ACGIH
Zirconium and	As Zr 5mg/m3	

8.2 Exposure controls

Appropriate engineering controls

when the mists are generated, the ignition source is made to seal up, and the exhaust device is installed. Install ventilation facility if dust and fume occurs during hot heated processes.

Personal protection equipment

Eye and face protection

: Use appropriate protectors for eyes.

Skin protection

Hand protection : Use appropriate protective gloves.

Body protection : Use appropriate protective clothes and masks if necessary.

Other protection : -

Respiratory protection : Wear appropriate respiratory protection.

Thermal hazards : -

9.PHYSICAL AND CHEMICAL PROPERTIES

White, Blown, paste Physical state, shape and colors etc. Odor No odor pΗ No data Melting point/coagulation point No data Boiling point No data Flash point No data No data Explosive range Vapor pressure No data Vapor density(air=1) No data No data Relative density (density) Solubility No data Partition coefficient: octanol/ water No data Auto-ignition temperature No data Decomposition temperature No data No data Limit value of odor Vaporization speed (butvl acetate=1) No data Combustion Characteristics (solid and gas) No data Viscosity No data

10.STABILITY AND REACTIVITY

10.1 Reactivity

_

10.2 Chemical Stability

Stable, if it is use and a storage method described in this MSDS.

10.3 Possibility of hazardous reactions

Not in particular.

10.4 Conditions to avoid

Not in particular.

10.5 Incompatible materials

MATERIAL SAFETY DATA SHEET MSDS No EX-3 Paste Opaque (J2005-G2)E, Ver1.2

Revised: 1st April, 2012

No data.

10.6 Hazardous decomposition product

Generation of carbon dioxide products

11.TOXICOLOGICAL INFORMATION

11.1 Acute Toxicity

Harmful if swallowed.

Mixture ATE

ATE(oral) = 576mg/kg

11.2 Skin corrosion/irritation

No information available

11.3 Serious eye damage/irritation

No information available

11.4 Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

As COBALT NICKEL GRAY PERICLASE(CPMA)

Resp.Sens.1, Skin Sens.1 by manufacturer MSDS

11.5 Germ cell mutagenicity

No information available

11.6 Carcinogenicity

May cause cancer.

As COBALT NICKEL GRAY PERICLASE(CPMA)

Carc.1A by manufacturer MSDS

11.7 Reproductive toxicity

No information available

11.8 STOT-single exposure

H371 May cause damage to organs.

As COBALT NICKEL GRAY PERICLASE(CPMA)

STOT SE 1,2 by by manufacturer MSDS

11.9 STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

As COBALT NICKEL GRAY PERICLASE(CPMA)

STOT RE 1 by manufacture MSDS

11.10 Aspiration hazard

No information available

12.ECOLOGICAL INFORMATION

12.1 Toxicity

No information available

12.2 Persistence and degradability

No information available

12.3 Bioaccumulative potential

No information available

12.4 Mobility in soil

No information available

12.5 Other adverse effects

No information

MATERIAL SAFETY DATA SHEET MSDS No EX-3 Paste Opaque (J2005-G2)E, Ver1.2

Revised: 1st April, 2012

13.DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product/ Packaging disposal In disposal, follow relevant regulations and standards of municipalities.

If industrial waste disposer permitted by governors or regional public

organization handle disposition, commit it to them.

If you commit a disposal of waste, notify sufficiently disposer of risk and

harmfulness beforehand.

Clean and recycle containers or dispose them properly based on relative

regulations and standards of municipalities.

When empty containers are disposed, its content must be removed

completely.

Dispose of waste according to applicable local, state, federal laws and Waste treatment options

regulations.

Sewage disposal options Do not discharge to a water source.

Other disposal recommendations No informaton

13.2 Additional information

No information

14.TRANSPORT INFORMATION

Road/Rail(ADR/RID) Not subject to ADR/RID. Sea transport(IMDG) Not subject to IMDG code. Air transport(IATA) Not Subject to IATA regulations.

15.REGULATORY INFORMATION

This MSDS is according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Use in accordance with local/regional/national/international regulations.

16.OTHER INFORMATION

16.1 Indication of changes and preparation date

Preparation date 14th October, 2010 Revised 14th October, 2010

16.2 Abbreviations and acronyms

ACGIH American Confrence of Governmental Industrial Hygienists

ATE Acute Toxicity Estimate

CAS No. Chemical Abstract Service number EC No. **EINECS and ELINCS Number**

European Inventory of Existing Commercial Substances **EINECS**

ELINCS European List of notified Chemical Substances

GHS Globally Harmonized System LC50 Lethal concentration, 50% LD50 Median Lethal Dose

MSDS Material Safety Data Sheet

MITI No. Ministry of International Trade and Industry Number NITE National Institute of Technology and Evaluation

OEL Occupational Exposure Limit

Product Name: EX-3 Paste Opaque MATERIAL SAFETY DATA SHEET

MSDS No EX-3 Paste Opaque (J2005-G2)E ,Ver1.2

Revised: 1st April, 2012

STOT Specific Target Organ Toxicity

(STOT) RE Repeated Exposure (STOT) SE Single Exposure

TWA Time Weighted Average

16.3 Key literature references and sources for data

The result of classification of substance by NITE Japan. (http://www.safe.nite.go.jp/ghs/list.html)

16.4 Handling of information given in this MSDS

Information given in this MSDS may be insufficient for not all records and references were investigated. Its content can be changed due to release of new data and correction of conventional theories. Therefore, when you use this MSDS for an important decision, it is recommended to check its content by running tests or to study its references carefully. We also do not guarantee the number about the content, physical or chemical properties. Notes are applicable to normal handling and care must be taken in case of special handling.