Product Name: Noritake Meister Cones MSDS No Noritake Meister Cones (J2005—G2)E ,Ver1.2

Revised: 1st April, 2012

1.IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name/designation Noritake Meister Cones

1.2 Relevant identified uses of the substance or mixture and uses advised

Relevant identified uses Dental Material
Uses advised against No information
1.3 Details of the supplier of the safety data sheet

• Manufacturer:

Kuraray Noritake Dental Inc.

300 Higashiyama, Miyoshi-cho, Miyoshi, Aichi 470-0293 JAPAN

Supplier:

For US

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A.

Phone: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

For Europe

Kuraray Europe GmbH

Philipp-Reis-Str. 4, 65795 Hattersheim am Main, Germany Phone: +49 (0)69 305 35 840 Fax: +49 (0)69 305 35 640

E-mail: dental@kuraray.de

For Other countries

Kuraray Noritake Dental Inc.

2.HAZARDS IDENTIFICATION

2.1 Classification of the mixture

GHS classification

STOT SE.3 H335,336 STOT RE.1 H372

2.2 Label elements

Hazard pictograms





Signal word:

Danger

Hazard statements:

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash throughly after handling.

Information department: Supplier

Product Name: Noritake Meister Cones MSDS No Noritake Meister Cones (J2005-G2)E ,Ver1.2

Revised: 1st April, 2012

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/Physician If you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P403+P233 Store in a well-ventilated place, Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

3.COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Description of the mixture: silver, Solid

3.2 Hazardous ingredients:

CAS No.	EC-No.	MITI-No.	% (w/w)	Name	Remark
1344-28-1	215-691-6	1-23	25-35	Aluminium oxide	

4.FIRST AID MEASURES

4.1 Description of first aid measure

General notes Get immediate medical advice/attention.

If on skin Wash with plenty soap and water.

If inhaled Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If swallowed Call a POISON CENTER or doctor/physician if you feel unwell.

If in eyes Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Notes for the doctor Pass on all available product information.

4.2 Most important symptoms and effects, both acute and delayed.

No information

4.3 Indication of immediate medical attention and special treatment needed.

No information

5.FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Water-spray, CO₂, powder, sand or foam, etc.

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unusable extinguishing media

No information available.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products There is a possibility that the gas with stimulation or toxicity is produced depending on the kind of a fire.

5.3 Advice for fire-fighters

If it is not very dangerous, move containers from a fire in the surrounding area.

During extinction, wear a suitable heat-resistant protective suits against chemicals and self contained breathing apparatus.

2/7

Extinguish fire by pouring or spreading extinguishing media on the origin of a fire.

Extinguish fire from windward side as much as possible.

Extinguish fire by the method of covering tightly or suffocation is preferable.

Even after extinction, cool down containers by using plenty of water.

Product Name: Noritake Meister Cones MSDS No Noritake Meister Cones (J2005-G2)E ,Ver1.2

Revised: 1st April, 2012

6.ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

Protective equipment Operators wear suitable protective equipment refer to section8 and avoid inhalation

and contact with eves and skin.

Removal of ignition sources, provision of sufficient ventilation, control of dust

Remove every source of ignition immediately. (Prohibit smoking, using sparks and flames nearby this product.) Ventilate for exhaust to keep concentration in air below a limit of exposure.

Emergency procedures Isolate this product immediately and keep proper distance to every direction as

released area.

Stop leakage, if it is not dangerous. Isolate this product immediately and keep

proper distance to every direction as released area.

Indicate that only authorized people can enter. Do not touch released product and walk on it.

For emergency responders

Wear a chemical protective clothing.

6.2 Environmental Precautions

Prevent inflow into ditches, sinks, basements or closed places. Take notice not to discharge this product to rivers etc. and not to affect environment.

6.3 Methods and material for containment and cleaning up

For containment Keep container tightly closed.

For cleaning up If the amount of leakage is small, absorb it by dried sand, soil, sawdust and waste

paper and collect it into a tightly covered container made of metal.

Other information No information

6.4 Reference to other sections See section 8 and 13.

6.5 Additional information No information.

7.HANDLING AND STORAGE

7.1 Precautions for safe handling

Information on safe handing

Take measure against equipments written in section8 and wear protective equipment.

Exhaust locally and ventilate totally as written in section8.

To prevent handling of incompatible substances or mixtures

Avoid contact with incompatible materials. Please refer to section 10.

To minimize the release to the environment

Take notice not to discharge this product to rivers etc. and not to affect environment.

Advice on general occupational hygiene

Obtain Instructions before using this product.

Do not handle products until you have read and understood every instruction for safety.

To prevent exposure, wear protective during operation.

Watch out for fire.

Prohibit using heated substances, sparks and fire on the periphery of this product.

Ventilate for exhaust to keep concentration in air below a limit of exposure.

Avoid inhaling dust and fume.

Do not touch, inhale or swallow this product.

Do not take polluted work clothes out of workshops.

Do not drink, eat or smoke during using this product.

Use this product only outside or well ventilated area.

Wash hands well after handling this product.

Product Name: Noritake Meister Cones MSDS No Noritake Meister Cones (J2005—G2)E ,Ver1.2

Revised: 1st April, 2012

Avoid emitting this product to environment.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in dried and properly ventilated place.

Install equipments for lighting and ventilation which are necessary for handling and storing dangerous goods in a storage place.

Packaging materials

If containers are stipulated in transportation regulations of containers United Nations.

Requirements for storage rooms and vessels

Store apart from dangerous substance to mix and touch.

Seal a container and store it in a well ventilated and cool place.

It is preferable to store a container in a locked place.

Further Information on storage conditions

No information

7.3 Specific end use(s)

Recommendations

No information

Industrial sector specific solutions

No information

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

No Information

8.2 Exposure controls

Appropriate engineering controls

When the mists are generated, the ignition source is made to seal up, and the exhaust device is installed. Install ventilation facility if dust and fume occurs during hot heated processes.

Personal protection equipment

Eye and face protection : Use appropriate protectors for eyes.

Skin protection

Hand protection : Use appropriate protective gloves.

Body protection : Use appropriate protective clothes and masks if necessary.

Other protection : -

Respiratory protection : Wear appropriate respiratory protection.

Thermal hazards : -

9.PHYSICAL AND CHEMICAL PROPERTIES

Physical state, shape and colors etc.	Silver , Solid
Odor	No odor
рН	No data
Melting point/coagulation point	No data
Boiling point	No data
Flash point	No data
Explosive range	No data
Vapor pressure	No data
Vapor density(air=1)	No data
Relative density (density)	No data
Solubility	No data
Partition coefficient: octanol/ water	No data

Product Name: Noritake Meister Cones MSDS No Noritake Meister Cones (J2005—G2)E ,Ver1.2

Revised: 1st April, 2012

Auto-ignition temperature

No data
Decomposition temperature

No data
Limit value of odor

Vaporization speed (butyl acetate=1)

Combustion Characteristics (solid and gas) No data
Viscosity

No data

10.STABILITY AND REACTIVITY

10.1 Reactivity

Not in particular.

10.2 Chemical Stability

Stable, if it is use and a storage method described in this SDS.

10.3 Possibility of hazardous reactions

Not in particular.

10.4 Conditions to avoid

Not in particular.

10.5 Incompatible materials

No data.

10.6 Hazardous decomposition product

No data.

11.TOXICOLOGICAL INFORMATION

11.1 Acute Toxicity

No information available

11.2 Skin corrosion/irritation

No information available

11.3 Serious eye damage/irritation

No information available

11.4 Respiratory or skin sensitization

No information available

11.5 Germ cell mutagenicity

No information available

11.6 Carcinogenicity

No information available

11.7 Reproductive toxicity

No information available

11.8 STOT-single exposure

As Aluminium oxide

It was set as category 3 (respiratory irritation) from the statement of upper respiratory irritation (ICSC (2000)).

11.9 STOT-repeated exposure

As Aluminium oxide

It was classified into Category 1 according the statement that by occupational exposure of aluminas, pulmonary fibrosis was occurred (EHC (1997)).

11.10 Aspiration hazard

No information available

Product Name: Noritake Meister Cones MSDS No Noritake Meister Cones (J2005-G2)E ,Ver1.2

Revised: 1st April, 2012

12.ECOLOGICAL INFORMATION

12.1 Toxicity

No information available

12.2 Persistence and degradability

No information available

12.3 Bioaccumulative potential

No information available

12.4 Mobility in soil

No information available

12.5 Other adverse effects

No information

13.DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product/ Packaging disposal In disposal, follow relevant regulations and standards of municipalities.

If industrial waste disposer permitted by governors or regional public

organization handle disposition, commit it to them.

If you commit a disposal of waste, notify sufficiently disposer of risk and

harmfulness beforehand.

Clean and recycle containers or dispose them properly based on relative

regulations and standards of municipalities.

When empty containers are disposed, its content must be removed

completely.

Waste treatment options Dispose of waste according to applicable local, state, federal laws and

regulations.

Sewage disposal options Do not discharge to a water source.

Other disposal recommendations

No information

No information

14.TRANSPORT INFORMATION

Road/Rail (ADR/RID) Not subject to ADR/RID.

Sea transport (IMDG) Not subject to IMDG code.

Air transport (IATA) Not Subject to IATA regulations.

15.REGULATORY INFORMATION

This MSDS is according to Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Use in accordance with local/regional/national/international regulations.

16.OTHER INFORMATION

16.1 Indication of changes and preparation date
Preparation date 9th April, 2012
Revised 9th April, 2012

16.2 Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ATE Acute Toxicity Estimate

Product Name: Noritake Meister Cones MSDS No Noritake Meister Cones (J2005—G2)E ,Ver1.2

Revised: 1st April, 2012

CAS No. Chemical Abstract Service number EC No. EINECS and ELINCS Number

EINECS European Inventory of Existing Commercial Substances

ELINCS European List of notified Chemical Substances

GHS Globally Harmonized System LC50 Lethal concentration, 50% LD50 Median Lethal Dose

MSDS Material Safety Data Sheet

MITI No. Ministry of International Trade and Industry Number NITE National Institute of Technology and Evaluation

OEL Occupational Exposure Limit

SDS Safety Data Sheet

STOT Specific Target Organ Toxicity

(STOT) RE Repeated Exposure (STOT) SE Single Exposure

TWA Time Weighted Average

16.3 Key literature references and sources for data

The result of classification of substance by NITE Japan. (http://www.safe.nite.go.jp/ghs/list.html)

16.4 Handling of information given in this MSDS

Information given in this MSDS may be insufficient for not all records and references were investigated. Its content can be changed due to release of new data and correction of conventional theories. Therefore, when you use this MSDS for an important decision, it is recommended to check its content by running tests or to study its references carefully. We also do not guarantee the number about the content, physical or chemical properties. Notes are applicable to normal handling and care must be taken in case of special handling.